



Prisma

Bicycle shelter

FOR EVERY SITUATION A *UNIQUE* SOLUTION





Prisma

Bicycle shelter

The Prisma is a bicycle shelter that beautifies the environment. The round roof and the wide uprights give the Prisma a robust appearance. The Prisma shelter has been developed to beautify the environment and fits perfectly with the dimensions of our bicycle parking systems.

THIS IS THE PRISMA

- Ver good price-quality ratio
- Optionally equipped with LED lightning
- Equipped with integrated rainwater drainage system above or below ground level
- Excellent protection against weather influences and vandalism
- Always provided with a minimum of 10 years warranty

VERSIONS

- Single-sided
- Double-sided

ROOF MATERIAL

- Polycarbonate

AVAILABLE COLOURS

The Prisma is standard in galvanized steel, but can be delivered in any RAL colour if required.

A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00



E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

*Galvanized steel according to NEN-ISO 1461 | The Prisma is model-based protected

MEASUREMENTS

There are many possibilities with the Prisma. Below is the drawing of a single-sided Prisma with one compartment. All variants of the Prisma can be expanded in length.

Product	Size (l x w x h)	Number of bicycle spots
Prisma single-sided	4422x2238x2377	10



(Measurements in mm)

A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00




E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

*Galvanized steel according to NEN-ISO 1461 | The Prisma is model-based protected

MEASUREMENTS

Below is the drawing of a double-sided Prisma with one compartment.

Product	Size (l x w x h)	Number of bicycle spots
Prisma double-sided	4422x4082x2377	20



(Measurements in mm)

A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00

E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

*Galvanized steel according to NEN-ISO 1461 | The Prisma is model-based protected

