





The Top bicycle shelter is a luxurious cover that beautifies the environment. The bicycle shelter offers excellent protection against weather influences and vandalism. The dimensions of the Top bicycle shelter are tailored to our bicycle parking systems, so that the available space is optimally used.

### THIS IS THE TOP

- Easy to maintain
- · Extends endlessly in all directions
- Timeless design and durable construction
- Equipped with integrated rainwater drainage system above or below ground level
- Excellent protection against weather influences and vandalism
- Always provided with a minimum of 10 years warranty

#### **VERSIONS**

- Single-sided
- Double-sided
- Vlinder
- Up (for two-tier bicycle parking system)

#### **ROOF MATERIAL**

Polycarbonate

#### **AVAILABLE COLOURS**

The Top is standard in galvanized steel, but can be deliverd in any RAL colour if required.

A Weberstraat 5 | 7903 BD Hoogeveen

T + 31(0) 528 74 52 00


E info@klaverfietsparkeren.nl


I www.klaverfietsparkeren.com

### **MEASUREMENTS**

There are many possibilities with the Top. Below is the drawing of a single-sided Top with one compartment. All variants of the Top can be expanded in both length and width.

Product	Size (I x w x h)	Number of bicycle spots
Top single-sided	5920x2554x2310	10









(Measurements in mm)


T + 31(0) 528 74 52 00

- E info@klaverfietsparkeren.nl
- I www.klaverfietsparkeren.com


# **MEASUREMENTS**


Below is the drawing of a double-sided Top with one compartment.

Product	Size (I x w x h)	Number of bicycle spots
Top double-sided	5924x5576x2784	20









(Measurements in mm)


T + 31(0) 528 74 52 00

- E info@klaverfietsparkeren.nl
  - I www.klaverfietsparkeren.com


# **MEASUREMENTS**


Below is the drawing of a double-sided Top Vlinder with one compartment.

Product	Size (I x w x h)	Number of bicycle spots
Top Vlinder double-sided	5930x5111x2316	20









(Measurements in mm)

l www.klaverfietsparkeren.com











