

WAVE

Bicycle shelter

*FOR EVERY SITUATION A **UNIQUE** SOLUTION*





Wave

Bicycle shelter

The Wave bicycle shelter has been developed with attention to sustainability. Efficient use of material in the roof has ensured a minimal impact on the environment. By combining the Wave with our bicycle racks, you ensure optimal protection of your bicycle against all weather conditions.

THIS IS THE WAVE

- Extend endlessly
- Durable through minimal use of materials
- Timeless design and durable construction
- Equipped with integrated rainwater drainage system above or below ground level
- Excellent protection against weather influences and vandalism
- Always provided with a minimum of 10 years warranty

VERSIONS

- Single-sided
- Double-sided
- Up (for two-tier bicycle parking system)

WALL CLADDING

- Mesh
- FSC® certified wood
- Perforated steel

ROOF MATERIAL

- Profile plate
- Polycarbonate
- Solar panels

AVAILABLE COLOURS

The CuBic is standard in galvanized steel, but can be delivered in any RAL colour if required.

A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00





E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

*Galvanized steel according to NEN-ISO 1461 | The Wave is model-based protected

MEASUREMENTS

There are many possibilities with the Wave. Below is the drawing of a single-sided Wave with one compartment. All variants of the Wave can be expanded in length.

Product	Size (l x w x h)	Number of bicycle spots
Wave single-sided	4660x2100x2334	10



(Measurements in mm)




A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00

E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

MEASUREMENTS

Below is the drawing of a double-sided Wave with one compartment.

Product	Size (l x w x h)	Number of bicycle spots
Wave double-sided	4660x4200x2334	20



(Measurements in mm)

A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00





E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

*Galvanized steel according to NEN-ISO 1461 | The Wave is model-based protected

MEASUREMENTS

Below is the drawing of a single-sided Wave UP with one compartment.

Product	Size (l x w x h)	Number of bicycle spots
Wave UP single-sided	4660x2100x3000	20



(Measurements in mm)





A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00

E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

MEASUREMENTS

Below is the drawing of a double-sided Wave UP with one compartment.

Product	Size (l x w x h)	Number of bicycle spots
Wave UP double-sided	4660x4200x3000	40



(Measurements in mm)

A Weberstraat 5 | 7903 BD Hoogeveen
T + 31(0) 528 74 52 00

E info@klaverfietsparkeren.nl
I www.klaverfietsparkeren.com

